

- **To:** alabobo2@meteo.fr
  - **Subject:** [alabobo2] Using the biperiodicization of Boyd in cycle 40t1\_bf.05
  - **Date:** Wed, 4 Nov 2015 16:31:58 +0100 (CET)
- 

Dear all,

Yet another bugfix has been missed in the export version for those who are willing to innovate with the easy biperiodicization of Boyd in Fullpos :  
In sufpc.F90, one should replace :

```
NFPBOYD=MAX(MIN(NFPBOYD,1),-1)
```

by :

```
NFPBOYD=MAX(MIN(NFPBOYD,1),-1)  
IF (NFPBOYD==1) LRAW_BIPER=.TRUE.
```

Remember that to activate the biperiodicization of Boyd in Fullpos, the only thing to do now is to set NFPBOYD=1 in the namelist NAMFPC ; no need to change the climatology datasets or the domain anymore !

Best regards,  
Ryad

----- Météo-France -----  
EL KHATIB RYAD  
CNRM/GMAP/ALGO  
ryad.elkhatib@meteo.fr  
Fixe : +33 561078466

- 
- **[alabobo2] Using the biperiodicization of Boyd in cycle 40t1\_bf.05,**  
*EL KHATIB Ryad, 11/04/2015*
- 

Archive powered by [MHonArc 2.6.16](#).

§  
[Powered by Sympa 5.4.7](#)